



PREVIEW COPY

This document contains selected pages from the original study resource.

The complete document can be downloaded from StudyLast.



Scan to browse thousands of verified study resources.

<https://studylast.com>

B. Jennings

C. Lonestar

D. Mayfield - Jennings

The patient is in lithotomy position with Allen stirrups. Which of the following procedures is the patient most likely undergoing?

A. mastectomy

B. colon resection

C. laparoscopic cholecystectomy

D. LAVH - LAVH- is a laparoscopic assisted vaginal hysterectomy

Which patient positioning item should be tested prior to the patient arriving in the OR?

A. candy cane

B. yellow fin

C. peg board

D. bean bag - bean bag

Which of the following should the surgical technologist do to prepare for a suction D&C? (Select the two (2) correct answers.)

A. Retrieve stirrups.

B. Test the suction machine.

C. Have a video tower in the OR.

D. Have a fluid manager available.

E. Open a long vaginal instrument tray. - Retrieve stirrups.,
Test the suction machine.

Which of the following is the proper way for the surgical technologist to enter a surgical room with a manually opened door after completing the surgical hand scrub?

A. Front first with arms forward and up.

Which of the following must the surgical technologist check before opening a sterile wrapped package? (Select the two (2) correct answers.)

- A. integrity of the package
- B. external chemical indicator
- C. sterilization date
- D. internal chemical indicator
- E. load number - integrity of the package,
external chemical indicator

When removing the instrument tray from the casket the surgical technologist finds no indicator. Which of the following should the technologist do next?

- A. Put it back in the casket.
- B. Put it on the back table.
- C. Hand off and change gloves.
- D. Hand off and resterilize the tray. - Hand off and change gloves.

The surgical technologist is opening for an inguinal hernia repair and notices one of the caskets containing instruments was partially opened. Which of the following actions should the technologist take?

- A. Continue to open since the caskets have been sterilized.
- B. Consider the casket contaminated and ask for a new casket.
- C. Remove all of the caskets because they have been contaminated by the open casket.
- D. Take only the instruments needed from the casket and discard the rest. - Consider the casket contaminated and ask for a new casket.

Which of the following is the minimum number of times a surgical instrument count should be performed for an open appendectomy case?

- A. two

C. The surgeon's gloved hand comes in contact with the surgical tech's gown.

D. The surgeon drapes the patient with hands cuffed in the sterile drape. - The procedure is a colon resection and anastomosis is complete.

Which of the following are acceptable surfaces to gown and glove from? (Select the two (2) correct answers.)

A. draped back table

B. OR Table

C. ring stand

D. prep table

E. undraped Mayo - prep table,

undraped Mayo

The surgical technologist and the surgeon have just finished draping for a hypospadias repair on an 8-month-old male. The resident doctor arrives to assist, places his gown and gloves on the back table, and returns to the room after his hand scrub. Which of the following is surgical technologist's appropriate action?

A. Have the resident gown and glove himself using closed technique.

B. Continue assisting the surgeon, having the resident wait until the technologist can gown and glove him.

C. Have the resident gown and glove himself using open technique.

D. Leave the surgical field to gown and glove the resident. - Leave the surgical field to gown and glove the resident.

A preference card indicates the surgeon prefers an extra-large gown and size 8.5 gloves and the assistant prefers a small gown and size 6 gloves. The assistant usually scrubs first and uses an alcohol based scrub. Place the surgical attire below in the order it should be stacked from top to bottom. (Click and drag the options in the left column to their correct position in the right column.) - small gown,
size 6 gloves,
towel for surgeon,
extra-large gown,
size 8.5 gloves