



PREVIEW COPY

This document contains selected pages from the original study resource.

The complete document can be downloaded from StudyLast.



Scan to browse thousands of verified study resources.

<https://studylast.com>

d. Pertaining to rectum

ANSWER: C

DIF: Moderate

REF: Pg212

193. If a person has tracheostomy, what would it mean simply?

- a. Surgical creation of opening or hole
- b. Surgical incision
- c. Both of them
- d. None of them

ANSWER: B

DIF: Easy REF: Pg213

194. What does these word

rootdefine:Callus

Digit

- a. Hip and Toe
- b. Sac and finger
- c. Hard thick skin and Finger/toe
- d. Fever and Hand

ANSWER: C

DIF: Moderate

REF: Pg214

195. Select the aspirin abbreviation:

- a. SAS
- b. ASA
- c. ASS
- d. SSA

ANSWER: B

DIF: Easy REF: Pg216

196. AICD stands for:

- a. Acquired immune deficiency syndrome
- b. Automated implantable circulator defibrillator
- c. Automatic implantable cardioverter defibrillator
- d. Automated implantable cardioverter

defibrillator**ANSWER:** C DIF: Easy REF:

Pg.216

584. ...is the process by which cells from a malignant neoplasm break away from the site of origin, such as the lung, and move through the bloodstream or lymphatic system to other body sites, such as the brain.

- a. Alzheimer disease
- b. Multiple sclerosis (MS)
- c. Metastasis
- d. Parkinson disease

ANSWER: C DIF: Medium REF: Pg1129

585is severe renal failure resulting in the buildup of waste products within the blood

- a. Uremia
- b. Tremor
- c. Jaundice
- d. Sugar

ANSWER: A DIF: Easy REF: Pg1130

CHAPTER 19

Diseases of the Eyes, Ears, Nose, and Throat

586. Whenever an object is lodged in the eye, ear, nose, or throat, the patient must be:

- a. Treated at home
- b. Treated with 1st aid
- c. Transported to hospital
- d. All of the above

ANSWER: C DIF: Moderate REF: Pg1140

587. Lasik surgery is a procedure related to

- a. Eye surgery
- b. Ear surgery
- c. Nose surgery
- d. Neck surgery

ANSWER: A DIF: Easy REF: Pg1141

- a. Estrogens, LH
- b. Progesterone, LH
- c. Oxytocin, LH
- d. None of these

ANSWER: A Dif: Hard REF: Pg 1260

715. A toxic condition caused by excessive levels of circulating thyroid hormone:

- a. Hyperglycemia
- b. Hypoglycemia
- c. Thyrotoxicosis
- d. None of these

ANSWER: C Dif: Easy REF: Pg 1261

716. An auto immune disorder that causes thyroid gland hypertrophy and severe hyperthyroidism

- a. Graves disease
- b. Crushing syndrome
- c. Panhypopituitarism
- d. All of these

ANSWER: A Dif: Hard REF: Pg 1261

717. A form of acidosis in uncontrolled diabetes in which certain acids accumulate when insulin is not available:

- a. Diabetes type 1
- b. Diabetes type 2
- c. DKA
- d. All of these

ANSWER: C Dif:

Moderate REF: Pg 1263 718.

Diabetes that develop during

pregnancy:

- a. Diabetes mellitus

- c. Thrombosis
- d. None of these

ANSWER: B

Dif: Moderate

REF: Pg 1297

737. Common findings with blood disorders related to cardio vascular system may not be:

- a. Tachycardia
- b. Chest pain
- c. Dyspnea
- d. Uncontrolled bleeding

ANSWER: D

Dif: Hard REF: Pg 1300

738. The body temporarily stops

- RBCs production:
- a. leukocytosis
 - b. aplastic crises
 - c. hemolytic crises
 - d. none of them

ANSWER: B

Dif: Easy

REF: Pg 1301

739. When blood flow to an organ becomes restricted causing pain, ischemia and often organ damage

- a. Vasooclusive crises
- b. Leuko cytosis
- c. Hemolytic crises
- d. Aplastic crises

ANSWER: A

Dif:

Moderate REF: Pg 1301

740. Symptoms

of acute chest syndrome include:

- a. Chest pain
- b. Fever
- c. Cough
- d. All of these

ANSWER: D

Dif: Easy

REF: Pg 1302

741. Reduction in WBCs:

- a. Thrombocytopenia

- b. Hypotension
- c. Hypertension
- d. Both a & b

ANSWER: D Dif: Moderate REF: Pg 1299

755. Common findings with blood disorders related to skeleton include:

- a. Tachycardia
- b. Chronic joint or bone pain
- c. Hematuria
- d. Uncontrolled bleeding

ANSWER: B Dif: Easy REF: Pg 1300

756. Sickle cell disease lead to:

- a. Aplastic crises
- b. Hemolytic crises
- c. Vaso occlusive crises
- d. Both a & b

ANSWER: D Dif: Easy REF: Pg 1301

757. Crises when acute RBCs destruction leads to jaundice:

- a. Vaso occlusive crises
- b. Hemolytic crises
- c. Aplastic crises
- d. None of them

- c. Scene-size up
- d. None of these

ANSWER: A DIF: HARD REF: Pg1460

862. Which of the following guidelines should be apply to the care of patient with a psychiatric emergency?

- a. Be as calm and direct as possible
- b. Exclude disruptive people
- c. Sit down
- d. All of these

ANSWER: D DIF: HARD REF: Pg1462

863. The best position in which to secure the patient to the stretcher is:

- a. Supine position
- b. Prone position
- c. Sims position
- d. Lateral position

ANSWER: A DIF: HARD REF: Pg1464

864. Which of the following conditions is caused by dementia?

- a. Severe deficits in memory
- b. Abstract thinking
- c. Judgement
- d. All of these

ANSWER: D DIF: MODERATE REF: Pg1470

865. Suicide is considered the second leading cause of death among people ages from:

- a. 10 to 25 years
- b. 11 to 21 years
- c. 20 to 31 years
- d. 10 to 34 years

ANSWER: A DIF: MODERATE REF: Pg1474

870. The world population having schizophrenia is estimated to be

in percentage of: a. 0.2 to 1.5%

- b. 1 to 5%
- c. 0.5 to 3%
- d. 0.6 to 2%

ANSWER: A DIF: EASY REF: Pg1474

871. Which of these is not a symptom of panic attack?

- a. Sweating
- b. Fear of dying
- c. Chills or hot flashes
- d. None of these

ANSWER: D DIF: MODERATE REF: Pg1475

872. What is the trade name of citalopram antidepressant?

- a. Lexapro
- b. Prozac
- c. Effexor
- d. Celex

ANSWER: D DIF: MODERATE REF: Pg1479

873. Which of the four causes of behavioral emergencies fits to a women patient having mood swings problem?

- a. Biologic
- b. Environment
- c. Acute injury or illness

CHAPTER 36

Abdominal and Genitourinary Trauma

1091. The abdominal cavity contains:

- a. Digestive tract
- b. Urinary tract
- c. Genitourinary systems
- d. All of these

ANSWER: D DIFF:EASY REF: Pg 1820

1092. Which one is not a part of genitourinary system?

- a. Kidneys
- b. Ureter
- c. Bladders
- d. Heart

ANSWER: D DIFF: EASYREF:Pg 1821

1093. The area in abdomen encased in peritoneum:

- a. Reperitoneal space
- b. Peritoneal cavity
- c. Perium bilical area
- d. Epidermis

ANSWER: B DIFF: EASY REF:Pg 1821

1094. Diaphragm curves at :

- a. 9th rib
- b. 10th rib
- c. 11th rib
- d. 12th rib

ANSWER: D DIFF: EASYREF: Pg 1824

- d. High quality compressions

ANSWER: D DIFF: MODERATE REF: Pg 1947

1190. The device which is used to reduce excessive pressure within chest:

- a. Automatic transport ventilator
- b. Automatic ventilator
- c. Impedance threshold device
- d. CPR

ANSWER: C DIFF: EASY REF: Pg 1947

1191. Compression of sternum raises the pressure in entire chest cavity:

- a. Thoracic pump theory
- b. Heart pump theory
- c. Active compression
- d. Active compression

decompression **ANSWER:**

A DIFF: EASY REF:

Pg1948

1192. Brain damage begins after some time when patients experience cardiac arrest:

- a. 2-3 minutes
- b. 3-4 minutes
- c. 4-6 minutes
- d. 8-10 minutes

ANSWER: C DIFF: EASY REF: Pg 1948

1193. To perform high quality CPR, compression rate is maintained between:

- a. 100 and 120 compressions per hour
- b. 100 compressions per minute
- c. 100 and 120 compressions per minute
- d. None of these

ANSWER: C DIFF: EASY REF: Pg 1950

ANSWER: C DIFF: HARD REF: Pg 2077

1261. If a newborn is cyanotic or pale:

- a. Provide supplemental oxygen
- b. Provide supplemental carbon
- c. Provide supplemental nitrogen
- d. Provide supplemental carbon

dioxide **ANSWER:** A DIFF: EASY

REF: Pg 2078

1262. Which of the following device don't need an oxygen source?

- a. Self inflating bag with an oxygen reservoir
- b. Flow inflating bag
- c. T – piece resuscitator
- d. All of above

ANSWER: A DIFF: EASY REF: Pg 2079

1263. In resuscitation, the concentration & time combination for oxygen includes:

- a. 21% for 100 seconds
- b. 100% for 100 seconds
- c. 100% for 21 seconds
- d. 21% for 90 seconds

ANSWER: D DIFF: MODERATE REF: Pg 2080

1264. Which of the following signs shows that newborn is depressed?

1333. Older people face problems:

- a. Medical
- b. Psychologic
- c. Social
- d. All of them

ANSWER: D DIFF: EASY REF: Pg 2214

1334. Which of the following is not included in GEMS assessment?

- a. Recognition of geriatric patient
- b. Environmental assessment
- c. Psychological assessment
- d. Medical assessment

ANSWER: C DIFF: MODEARTE REF: Pg 2215

1335. Which one of following may contribute to breathing problems?

- a. Weakening of airway musculature
- b. Increased chest wall stiffness
- c. Both a & b
- d. None of them

ANSWER: C DIFF: EASY REF: Pg 2215

1336. Which one of following is not a component of social assessment?

- a. Present atypically
- b. Assess activities of daily living
- c. Does the patient have social network
- d. Are there delays in obtaining food, medication or toileting?

ANSWER: D DIFF: EASY REF: Pg 2339

1421. The decision made and basic planning done before an incident occurs:

- a. Preparedness
- b. Establishing command
- c. Mobilization and deployment
- d. Communications

ANSWER: A DIFF: EASY REF: Pg 2340

1422. Which is not the component of EMS branch?

- a. Triage
- b. Treatment
- c. Transportation
- d. Therapy

ANSWER: D DIFF: EASY REFPg : 2342

1423. In charge of counting and prioritizing patients:

- a. Triage unit leader
- b. Treatment unit leader
- c. Transportation unit leader
- d. Staging area manager

ANSWER: A DIFF: EASY REF: pg 2342

1424. When MCIs or scenes require response by numerous emergency vehicle or agencies.
What should be assigned?

- a. Triage unit leader
- b. Treatment unit leader
- c. Transportation unit leader
- d. Staging area manager

ANSWER: A DIFF: EASY REF:Pg 2364

1437. The cold zone is outer perimeter in which vehicles and equipment staged and the command post is located.

- a. Cold zone
- b. Warm zone
- c. Hot zone
- d. All of these

ANSWER: A DIFF: EASY REF: Pg 2364

1438. This may require special tools such as reciprocating saw, hydraulic arm, spreader or cutter:

- a. Simple access
- b. Complex access
- c. Accountability
- d. None of these

ANSWER: B DIFF: EASY REF: Pg 2366

1439. Back boards are helpful for patients with:

- a. Spine injury
- b. Cramps
- c. Brain injury
- d. Bone injury

ANSWER: A DIFF: EASY REF:Pg 2367

1440. Uni body construction:

- a. Body of vehicle are fused into single component
- b. Body and frame of vehicle are fused into single component
- c. Body of vehicle are joined as multiple components
- d. Body and frame of vehicle are joined as

multiple components **ANSWER:** B DIFF:

EASY

REF: Pg

d. 95-98 C

ANSWER: A Dif: Easy REF: Pg 2448

CHAPTER 51

Disaster Response

1521. A way to maintain communications with all of the members as well as backup methods of communication with all involved parties.

- a. Training standards
- b. Infrastructure
- c. Internal communications
- d. All of these

ANSWER: C Dif: Easy REF : Pg 2469

1522. Considerations during a disaster include:

- a. Inventory
- b. Patient tracking
- c. Hospital updates
- d. All of these

ANSWER: D Dif: Easy REF: Pg 2470

1523. Recording every patient you see or assist with help of triage tag. This comes under:

- a. Patient tracking
- b. Equipment resupply
- c. Triage and classification
- d. Personal protective and

safety equipment **ANSWER:** A

Dif: Easy REF: Pg 2471

1524. Considerations after the event include:

- a. Accountability
- b. Brainstorm
- c. Stress reaction review
- d. All of them

ANSWER: D Dif: Easy REF: Pg 2473